

Publications.

A. Original Papers.

1. Hershko, A., Amoz, S. and Mager, J. (1961) Effect of polyamines and bivalent metals on *in vitro* incorporation of amino acids into ribonucleoprotein particles. Biochem. Biophys. Res. Commun. **5**, 46-51.
2. Hershko, A., Wind, E., Razin, A. and Mager, J. (1963) Conversion of guanine to hypoxanthine in mammalian red blood cells. Biochim. Biophys. Acta **71**, 609-620.
3. Mager, J., Razin, A., Hershko, A. and Izak, G. (1964) The mechanism of red cell hexokinase inhibition induced by oxidation of intracellular glutathione and its relation to drug sensitivity. Biochem. Biophys. Res. Commun. **17**, 703-708.
4. Hershko, A. and Kindler, S. H. (1966) Mode of interaction of purine nucleotides and amino acids with glutamate dehydrogenase. Biochem. J. **101**, 661-664.
5. Mager, J., Hershko, A., Zeitlin-Beck, R., Shoshani, T. and Razin, A. (1967) Turnover of purine nucleotides in rabbit erythrocytes. I. Studies *in vivo*. Biochim. Biophys. Acta **149**, 50-58.
6. Hershko, A., Razin, A., Shoshani, T. and Mager, J. (1967) Turnover of purine nucleotides in rabbit erythrocytes. II. Studies *in vitro*. Biochim. Biophys. Acta **149**, 59-73.
7. Razin, A., Hershko, A., Glaser, G. and Mager, J. (1968) The oxidant effect of isouramyl on red cell glutathione and its synergistic enhancement by ascorbic acid or 2,4-dihydroxyphenylalanine. Israel J. Med. Sci. **4**, 852-857.
8. Hershko, A., Hershko, C. and Mager, J. (1968) Increased formation of 5-phosphoribosyl-1-pyrophosphate in red blood cells of some gouty patients. Israel J. Med. Sci. **4**, 939-944.
9. Hershko, A., Jabotinsky, C. and Mager, J. (1969) Studies on red cell nucleoside triphosphate pyrophosphohydrolase. Israel J. Med. Sci. **5**, 997.
10. Hershko, A., Razin, A. and Mager, J. (1969) Regulation of the synthesis of 5-phosphoribosyl-1-pyrophosphate in intact red blood cells and in cell-free preparations. Biochim. Biophys. Acta **184**, 64-76.
11. Hershko, A. and Tomkins, G.M. (1971) Studies on the degradation of tyrosine aminotransferase in hepatoma cells in culture. Influence of the composition of the medium and adenosine triphosphate dependence. J. Biol. Chem. **246**, 710-714.
12. Hershko, A., Mamont, P., Shields, R. and Tomkins, G. M. (1971) Pleiotypic response. Nature (New Biology) **232**, 206-211.

13. Mamont, P., Hershko, A., Kram, R., Schacter, L., Lust, J. and Tomkins, G. M. (1972) The pleiotypic response in mammalian cells : Search for an intracellular mediator. Biochem. Biophys. Res. Commun. **48**, 1378-1384.
14. Shechter, Y., Rafaeli-Eshkol, D. and Hershko, A. (1973) Influence of protease inhibitors and energy metabolism on intracellular protein breakdown in starving *E. coli*. Biochem. Biophys. Res. Commun. **54**, 1518-1524.
15. Morhenn, V., Kram, R., Hershko, A. and Tomkins, G. M. (1974) Studies on amino acid control of cellular function. Cell **1**, 91-94.
16. Rafaeli-Eshkol, D. and Hershko, A. (1974) Regulation of intracellular protein breakdown in stringent and relaxed strains of *E. coli*. Cell **2**, 31-35.
17. Rafaeli-Eshkol, D., Epstein, D. and Hershko, A. (1974) Roles of protein synthesis and tRNA aminoacylation in the regulation of intracellular protein breakdown in *E. coli*. Biochem. Biophys. Res. Commun. **61**, 899-905.
18. Aviram, M. and Hershko, A. (1975) Influence of ATP depletion on the degradation of rapidly labelled RNA in cultured hepatoma cells. Biochem. Biophys. Commun. **65**, 1313.
19. Epstein, D., Elias-Bishko, S. and Hershko, A. (1975) Requirement for protein synthesis in the regulation of protein breakdown in cultured hepatoma cells. Biochemistry **14**, 5199-5204.
20. Hod, .Y. and Hershko, A. (1976) Relationship of the pool of intracellular valine to protein synthesis and degradation in cultured cells. J. Biol. Chem. **251**, 4458-4467.
21. Ciechanover, A. and Hershko, A. (1976) Early effects of serum on phospholipid metabolism in untransformed and oncogenic virus-transformed fibroblasts. Biochem. Biophys. Res. Commun. **73**, 85.
22. Aviram, M. and Hershko, A. (1977) Interconversion of multiple forms of tyrosine aminotransferase *in vitro* and *in vivo* in cultured hepatoma cells. Biochim. Biophys. Acta **498**, 83-90.
23. Kaftori, A., Hershko, A. and Fry, M. (1978) Protein turnover in senescent chick embryo fibroblasts. J. Cell. Physiol. **94**, 147-160.
24. Ciechanover, A., Hod, Y. and Hershko, A. (1978). A heat-stable polypeptide component of an ATP-dependent proteolytic system from reticulocytes. Biochem. Biophys. Res. Commun. **81**, 1100-1105.
25. Hershko, A., Ciechanover, A. and Rose, A. (1979). Resolution of an ATP-dependent proteolytic system from reticulocytes : a component that interacts with ATP. Proc Natl. Acad. Sci. USA. **76**, 3107-3110.
26. Rose, I. A., Warms, J. V. B. and Hershko, A. (1979) A high molecular weight protease in liver cytosol. J. Biol. Chem. **254**, 8135-8138.

27. Ciechanover, A., Heller, H., Elias, S., and Hershko, A. (1980) ATP-dependent conjugation of reticulocyte proteins with the polypeptide required for protein degradation. Proc Natl. Acad. Sci. USA **77**, 1365-1368.
28. Hershko, A., Ciechanover, A., Heller, H., Haas, A. I. and Rose, I. A. (1980). Proposed role of ATP in protein breakdown : conjugation of proteins with multiple chains of the polypeptide of ATP-dependent proteolysis. Proc. Natl. Acad. Sci. USA **77**, 1783-1786.
29. Ciechanover, A., Elias, S., Heller, H., Ferber, S. and Hershko, A. (1980) Characterization of the heat-stable polypeptide of the ATP-dependent proteolytic system from reticulocytes. J. Biol. Chem. **255**, 7525-7528.
30. Ciechanover, A., Heller, A., Katz-Etzion, R. and Hershko, A. (1981) Activation of the heat-stable polypeptide of the ATP-dependent proteolytic system. Proc. Natl. Acad. Sci. USA **78**, 761-765.
31. Hershko, A., Ciechanover, A. and Rose, I.A. (1981). Identification of the active amino acid residue of the polypeptide of ATP-dependent protein breakdown. J. Biol. Chem. **256**, 1525-1528.
32. Ciechanover, A., Elias, S., Heller, H. and Hershko, A. (1982). " Covalent affinity" purification of ubiquitin-activating enzyme. J. Biol. Chem. **257**, 2537-2542.
33. Haas, A. L., Warms, J. V. B., Hershko, A. and Rose, I. A. (1982) Ubiquitin-activating enzyme. Mechanism and role in protein-ubiquitin ligation. J. Biol. Chem. **257**, 2543-2548.
34. Hershko, A., Eytan, E. and Ciechanover, A. (1982). Immunochemical analysis of the turnover of ubiquitin-protein conjugates in intact cells. J. Biol. Chem. **257**, 13964-13970.
35. Hershko, A., Heller, H., Elias, S. and Ciechanover, A. (1983). Components of ubiquitin-protein ligase system : resolution, affinity purification and role in protein breakdown. J. Biol. Chem. **258**, 8206-8214.
36. Hershko, A., Leshinsky, E. Ganoth, D. and Heller, H. (1984). ATP-dependent degradation of ubiquitin-protein conjugates. Proc. Natl. Acad. Sci. USA **81**, 1619-1623.
37. Eytan, E. and Hershko, A. (1984) Relevance of protease "inhibitor" to the ATP-ubiquitin proteolytic system. Biochem. Biophys. Res. Commun. **122**, 116-123.
38. Hershko, A., Heller, H., Eytan, E., Kaklij, G. and Rose, I. A. (1984) Role of α -amino group of protein in ubiquitin-mediated protein breakdown. Proc. Natl. Acad. Sci. USA **81**, 7021-7025.
39. Hershko, A. and Heller, H. (1985). Occurrence of a polyubiquitin structure in ubiquitin-protein conjugates. Biochem. Biophys. Res. Commun. **128**, 1079-1086.

40. Hershko, A., Heller, H., Eytan, E. and Reiss, Y. (1986). The protein substrate binding site of the ubiquitin-protein ligase system. J. Biol. Chem. **261**, 11992-11999.
41. Hershko, A. and Rose, I.A. (1987). Ubiquitin-aldehyde : a general inhibitor of ubiquitin-recycling processes. Proc. Natl. Acad. Sci. USA. **84**, 1829-1833.
42. Raviv, O., Heller, H. and Hershko, A. (1987) Alterations in components of the ubiquitin-protein ligase system following maturation of reticulocytes to erythrocytes. Biochem. Biophys. Res. Commun. **145**, 658-665.
43. Reiss, Y., Kaim, D. and Hershko, A. (1988). Specificity of binding of NH₂-terminal residue of proteins to ubiquitin-protein ligase. Use of amino acid derivatives to characterize specific binding sites. J. Biol. Chem. **263**, 2693-2698.
44. Ciechanover, A., Ferber, S., Ganoth, D., Elias, S., Hershko, A. and Arfin, S. (1988) Purification and characterization of arginyl-tRNA protein transferase from rabbit reticulocytes : Its involvement in post-translational modification and degradation of acidic NH₂-termini substrates of the ubiquitin pathway. J. Biol. Chem. **263**, 11155-11167.
45. Ganoth, D., Leshinsky, E., Eytan, E. and Hershko, A. (1988). A multicomponent system that degrades proteins conjugated to ubiquitin. Resolution of components and evidence for ATP-dependent complex formation. J. Biol. Chem. **263**, 12412-12419.
46. Reiss, Y., Heller, H. and Hershko, A. (1989) Binding sites of ubiquitin-protein ligase. Binding of ubiquitin-protein conjugates and of ubiquitin-carrier protein. J. Biol. Chem. **264**, 10378-10383.
47. Eytan, E., Ganoth, D., Armon, T. and Hershko, A. (1989). ATP-dependent incorporation of 20S protease into the 26S complex that degrades proteins conjugated to ubiquitin. Proc. Natl. Acad. Sci. USA. **86**, 7751-7755.
48. Reiss, Y. and Hershko, A. (1990). Affinity purification of ubiquitin-protein ligase on immobilized protein substrates. Evidence for the existence of separate NH₂-terminal binding sites on a single enzyme. J. Biol. Chem. **265**, 3685-3690.
49. Heller, H. and Hershko, A. (1990) A ubiquitin-protein ligase specific for type III protein substrates. J. Biol. Chem. **265**, 6532-6535.
50. Armon, T., Ganoth, D. and Hershko, A. (1990) Assembly of the 26S complex that degrades proteins ligated to ubiquitin is accompanied by the formation of ATPase activity. J. Biol. Chem. **265**, 20723-20726.
51. Hershko, A., Ganoth, D., Pehrson, J. Palazzo, R.E. and Cohen, L.H. (1991). Methylated ubiquitin inhibits cyclin degradation in clam embryo extracts. J. Biol. Chem. **266**, 16376-16379.
52. Hadari, T. Warms, J.W.B., Rose, I.A. and Hershko, A. (1992). A ubiquitin-C-terminal isopeptidase that acts on polyubiquitin chains. Role in protein degradation. J. Biol. Chem. **267**, 719-727.

53. Eytan, E., Armon, T., Heller, H., Beck, S. and Hershko, A. (1993). Ubiquitin-C-terminal hydrolase activity associated with the 26S protease complex. J. Biol. Chem. **268**, 4668-4674.
54. Hershko, A., Ganoth, D., Sudakin, V., Dahan, A., Cohen, L.H., Luca, F.C., Ruderman, J.V. and Eytan, E. (1994). Components of a system that ligates cyclin to ubiquitin and their regulation by protein kinase cdc2. J. Biol. Chem. **269**, 4940-4946.
55. Sudakin, V., Ganoth, D., Dahan, A., Heller, H., Hershko, J., Luca, F.C., Ruderman, J.V. and Hershko, A. (1995). The cyclosome, a large complex containing cyclin-selective ubiquitin ligase activity, targets cyclins for destruction at the end of mitosis. Mol. Biol. Cell **6**, 185-198.
56. Lahav-Baratz S., Sudakin, V., Ruderman, J.V and Hershko, A. (1995). Reversible phosphorylation controls the activity of cyclosome-associated cyclin-ubiquitin ligase. Proc. Natl. Acad. Sci. USA **92**, 9303-9307.
57. Aristarkhov, A., Eytan, E., Moghe, A., Admon, A., Hershko, A. and Ruderman, J.V. (1996). E2-C, a cyclin-selective ubiquitin carrier protein required for the destruction of mitotic cyclins. Proc. Natl. Acad. Sci. USA ,**93**, 4294-4299.
58. Townsley, F.M., Aristarkhov, A., Beck, S., Hershko, A. and Ruderman, J.V. (1997). Dominant-negative cyclin-selective ubiquitin-carrier protein E2-C/UbcH10 blocks cells in metaphase. Proc. Natl. Acad. Sci. USA **94**, 2362-2367.
59. Sudakin, V., Shteinberg, M., Ganoth, D., Hershko, J. and Hershko, A. (1997). Binding of activated cyclosome to p13^{suc1}. Use for affinity purification. J. Biol. Chem. **272**, 18051-18059.
60. Shteinberg, M. and Hershko, A. (1999). Role of Suc1 in the activation of the cyclosome by protein kinase Cdk1/cyclin B. Biochem. Biophys. Res. Commun. **257**, 12-18.
61. Montagnoli, A., Fiore, F., Eytan, E., Carrano, A. C., Draetta, G. F., Hershko, A. and Pagano, M. (1999). Ubiquitination of p27 is regulated by Cdk-dependent phosphorylation and trimeric complex formation. Genes & Dev. **13**, 1181-1189.
62. Shteinberg, M., Protopopov, Y., Listovsky, T., Brandeis, M. and Hershko, A. (1999). Phosphorylation of the cyclosome is required for its stimulation by Fizzy/Cdc20. Biochem. Biophys. Res. Commun. **260**, 193-198.
63. Carrano, A., Eytan, E., Hershko, A. and Pagano, M. (1999). SKP2 is required for ubiquitin-mediated degradation of the CDK inhibitor p27. Nature Cell Biol. **1**, 193-199.
64. Yudkovsky, Y., Shteinberg, M., Listovsky, T. Brandeis, M. and Hershko, A. (2000) Phosphorylation of Cdc20/fizzy negatively regulates the mammalian cyclosome/APC in the mitotic checkpoint. Biochem. Biophys. Res. Commun. **271**, 299-304.

65. Ganoth, D., Bornstein, G., Ko, T. K., Larsen, B., Tyers, M., Pagano, M. and Hershko, A. (2001). The cell cycle regulatory protein Cks1 is required for the SCFSkp2-mediated ubiquitinylation of p27. Nature Cell Biol. **3**, 321-324.
66. Hershko, D., Bornstein, G., Ben-Izhak, O., Carrano, A., Pagano, M., Krausz, M. M. and Hershko, A. (2001). Inverse relationship between levels of p27^{Kip1} and of its ubiquitin ligase subunit Skp2 in colorectal cancers. Cancer **91**, 1745-1751.
67. Golan, A., Yudkovsky, Y. and Hershko, A. (2002). The cyclin-ubiquitin ligase activity of the cyclosome/APC is jointly activated by protein kinases Cdk1/cyclin B and Plk. J. Biol. Chem. **277**, 15552-15557.
68. Sitry, D., Seeliger, M., Ko, T. K., Ganoth, D., Breward, S. E., Itzhaki, L. S., Pagano, M. and Hershko, A. (2002). Three different binding sites of Cks1 are required for p27-ubiquitin ligation. J. Biol. Chem. **277**, 42233-42240.
69. Bornstein, G., Bloom, J., Sitry-Shevah, D., Nakayama, K., Pagano, M. and Hershko, A. (2003) Role of SCF^{Skp2} ubiquitin ligase in the degradation of p21^{Cip1} in S-phase. J. Biol. Chem., *in press*.

B. Review Articles.

1. Hershko, A. and Fry, M. (1975) Post-translational cleavage of polypeptide chains: Role in assembly. Annu. Rev. Biochem. **44**, 775-797.
2. Hershko, A. and Ciechanover, A. (1982) Mechanisms of intracellular protein breakdown. Annu. Rev. Biochem. **51**, 335-364.
3. Hershko, A. (1983) Ubiquitin: roles in protein modification and breakdown. Cell **34**, 11-12.
4. Hershko, A. and Ciechanover, A. (1986) The ubiquitin pathway for the degradation of intracellular proteins. Progr. Nucl. Ac. Res. Mol. Biol. **33**, 19-56.
5. Hershko, A. (1988). Ubiquitin-mediated protein degradation. J. Biol. Chem. **263**, 15237-15240. (Minireview).
6. Hershko, A. (1991) The ubiquitin pathway for protein degradation. Trends Biochem. Sci. **16**, 265-268.
7. Hershko, A. and Ciechanover, A. (1992). The ubiquitin system for protein degradation. Annu Rev. Biochem. **61**, 761-807.
8. Hershko, A. (1996). Lessons from the discovery of the ubiquitin system. Trends Biochem. Sci., **21**, 445-449.

9. Hershko, A. (1997). Roles of ubiquitin-mediated proteolysis in cell cycle control. Curr. Op. Cell Biol. **9**, 788-799.
10. Hershko, A. and Ciechanover, A. (1998). The ubiquitin system. Annu. Rev. Biochem. **67**, 425-479.
11. Hershko, A. (1999). Mechanisms and regulation of the degradation of cyclin B. Phil. Trans. R. Soc. Lond. **354**, 1501-1511.
12. Hershko, A., Ciechanover, A. and Varshavsky, A. (2000). The ubiquitin system. Nature Medicine **6**, III-XI (Commentary).